

Project Number 2481

Management Asbestos Survey Report

Portland Platoon, Easton Road, Dorset, DT5 1BW



Working in Partnership with Shield Environmental Services Shield



Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	1



Contents

Section	
1	Contacts & Authorisation
2	Executive Summary
3	Site Description & Survey Information
4	Positive and Presumed Photos Sheets
5	Negative Photos Sheets
6	Survey Objectives
7	Survey Techniques
8	Survey Caveat
9	Survey Notes
10	Material Assessment Algorithm
11	Certificates of Bulk Analysis
12	Site Plan

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	2



Section 1: Contact Details

Client Details:		Instructing Par	ty:	
Wessex RFCA		Shield Environmental		
Mount House		Shield House		
Mount Street		Caxton Business P	ark	
Taunton		Crown Way		
TA1 3QE		Bristol		
		BS30 8XJ		
Contact Name:	Sue Morrell	Contact Name:	Chloe Smith	
Tel:	Fax:	Tel:	Fax:	
01823250115	N/A	01173012650	N/A	

Site Address: Portland Platoon Easton Road Dorset DT5 1BW		Report Author: Armour Analytical Admirals Yard Station Road Bristol BS34 6LR	
Contact Name:	Mike Vincent	Contact Name:	Emma Humphreys
Tel: 07388949873	Fax: N/A	Mobile: 07468535836	

Lead Surveyor's Name:	Lead Surveyor's Authorising Signature:
D. Kelly	Belly

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	3



Section 2: Executive Summary

Sample Number	Sample Type	Location	Analysis
1	Insulation Board Wall Panels	Men's WC	N.A.D.I.S
2	Insulation Board Wall Panels	Kitchen	N.A.D.I.S
3	Floor Tiles and Adhesive	Firing range 1	Chrysotile

N.A.D.I.S – No Asbestos Detected in Sample A.D – Asbestos Detected

In addition to the above sampled items, the following items have been either been "Strongly Presumed" To Contain Asbestos or "Presumed" to Contain Asbestos as they were either visually identified in being so, labelled after previously being sampled on prior surveys or not accessible at the time of the survey:

Item 7 - Ground Floor - Firing Range 2 - Electrical Heater - Unable to sample as live

The presence of asbestos in these areas cannot be ascertained at this time. If any works are to be carried out in these areas in the future, then these works should be approached cautiously.

In accordance with current legislation, any suspect materials encountered in these areas are to be assumed to contain asbestos until proven otherwise. This will normally involve cessation of works in the affected area.

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	4



Section 3: Site Description & Survey Information

Brief description on the general building construction

Timber frame construction with a pitched profiled metal roof. Range huts are timber frame with flat felt roofs.

Caveat for no access areas

No access within the live heaters.

EVERNAL MATERIAL C	
EXTERNAL MATERIALS	
Roof Type	Pitched, Flat
Roof Materials	Profiled Metal, Felt
Soffits	Timber
Fascia	Timber
Walls	Timber Cladding
Verge Under cloaking	N/A
Guttering	Plastic
Downpipes	Plastic
Window/Door frames	UPVC, Timber
Other Materials	N/A
INTERNAL MATERIALS	
Loft Insulation	Fiberglass
Roof Underlining	N/A
Ceilings	Plasterboard
Walls Internal	Plasterboard
Floors	Lino, Timber
Doors/Frames	Timber
Pipework/Insulation	Copper
Boxings	N/A
Boiler Make	N/A
Flue Pipes	N/A
Storage Heaters	No Access – Presumed Asbestos
Electrical Boxes/Machinery	Modern Boxes
Ducting/Risers	N/A
Stairs	N/A
Lift Shafts	N/A
Other Materials	N/A

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	5



Section 4: Positive and Presumed Photos Sheets

Item No: 6 Sample No: 3

Location: Ground Floor - Firing Range 1





Material Description:	Floor Tiles and Adhesive		
Identification:	Sampled – Asbestos Dete	ected	
Approx. quantity:	9M2		
Accessibility	High	Assessment Score	
Product type:	Composite	1	
Extent of Damage:	Minor	1	
Surface Treatment:	Non-Friable	0	
Asbestos type:	Chrysotile	1	
	Material Assessment Score:	3	
	Priority Assessment Score:	Negligible	
Action:	Manage		
Comments:	N/A		


Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	6



Item No: 7 Sample No: N/A

Location: Ground Floor - Firing Range 2





Material Description:	Live Heater	Live Heater		
Identification:	Presumed to Contain Asbe	Presumed to Contain Asbestos		
Approx. quantity:	X 1 Heater			
Accessibility	Low	Assessment Score		
Product type:	No Access	2		
Extent of Damage:	No Access	2		
Surface Treatment:	No Access	2		
Asbestos type:	No Access	2		
	Material Assessment Score:	8		
	Priority Assessment Score:	Medium		
Action:	Manage	Manage		
Comments:	N/A			

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	7



Section 5: Negative Photos Sheets

Item No: 1 Sample No: N/A

Location: Ground Floor - WC





Material Description:	Visual Inspection – No Suspect Materials Found		
Identification:	N/A		
Approx. quantity:	N/A		
Accessibility	N/A	Assessment Score	
Product type:	N/A	N/A	
Extent of Damage:	N/A	N/A	
Surface Treatment:	N/A	N/A	
Asbestos type:	N/A	N/A	
	Material Assessment Score:	N/A	
	Priority Assessment Score:	N/A	
Action:	N/A		
Comments:	N/A		

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	8



Item No: 2 Sample No: 1

Location: Ground Floor - Men's WC





Material Description:	Insulation Board Wall Panels		
Platerial Description.	Trisulation board wall Pariets		
Identification:	Sampled – No Asbesto	s Detected	
Approx. quantity:	6M2		
Accessibility	N/A	Assessment Score	
Product type:	N/A	N/A	
Extent of Damage:	N/A	N/A	
Surface Treatment:	N/A	N/A	
Asbestos type:	N/A	N/A	
	Material Assessment Score:	N/A	
	Priority Assessment Score:	N/A	
Action:	N/A		
Comments:	Panels appear to be plasterboard, but a previous sample shows the panels to be asbestos. No access was possible within the wall cavity -Apply caution		

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	9



Item No: 3 Sample No: 2

Location: Ground Floor - Kitchen





Material Description:	Insulation Board Wa	all Panels	
Identification:	Sampled – No Asbestos Detected		
Approx. quantity:	6M2		
Accessibility	N/A	Assessment Score	
Product type:	N/A	N/A	
Extent of Damage:	N/A	N/A	
Surface Treatment:	N/A	N/A	
Asbestos type:	N/A	N/A	
	Material Assessment Score:	N/A	
	Priority Assessment Score:	N/A	
Action:	N/A		
Comments:	Panels appear to be plasterboard, but a previous sample shows the panels to be asbestos. No access was possible within the wall cavity -Apply caution		

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	10



Item No: 4 Sample No: N/A

Location: Ground Floor - Main Hall





Material Description:	Visual Inspection – No Suspect Materials Found		
Identification:	N/A		
Approx. quantity:	N/A		
Accessibility	N/A	Assessment Score	
Product type:	N/A	N/A	
Extent of Damage:	N/A	N/A	
Surface Treatment:	N/A	N/A	
Asbestos type:	N/A	N/A	
	Material Assessment Score:	N/A	
	Priority Assessment Score: N/A		
Action:	N/A		
Comments:	Modern Electrics		

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	11



Item No: 5 Sample No: N/A

Location: Ground Floor – Office and Store





Material Description:	Visual Inspection – No Suspect Materials Found		
Identification:	N/A		
Approx. quantity:	N/A		
Accessibility	N/A	Assessment Score	
Product type:	N/A	N/A	
Extent of Damage:	N/A	N/A	
Surface Treatment:	N/A	N/A	
Asbestos type:	N/A	N/A	
	Material Assessment Score:	N/A	
	Priority Assessment Score:	N/A	
Action:	N/A		
Comments:	N/A		

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	12



Section 6: Survey Objectives

Instructions were received from Sue Morrell of Wessex RFCA to carry out a Management asbestos survey at Portland Platoon, Easton Road, Dorset, DT5 1BW in accordance with HSG264 and Armour Analytical's quality procedures.

The survey was carried out on 27th August 2019 by David Kelly with the objective of facilitating a Management report.

This Management survey is characterised as a 'Visual Inspection Sampling and Identification Survey' in HSG264. This type of survey is used to locate and describe, so far as is reasonably practicable, all asbestos containing materials (ACMs) in the building and will by its nature involve the partial destruction of the building's fabric as access is gained to all areas. A full sampling programme is undertaken to identify possible ACMs and estimate the extent of ACMs reported.

The objective of this survey report is to identify, so far as is reasonably practicable, the location, extent, product type and composition of ACMS within the building to enable the building occupants to put management and remedial procedures in place.

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	13



Section 7: Survey Techniques

Each floor, room and area within the scope was systematically inspected for suspect materials thought or known to contain asbestos and where such materials were encountered their location, extent, and composition were recorded.

Where materials of a similar nature exist, to those previously sampled, and a reasoned argument can be made that their composition is likely to be identical further physical sampling was not undertaken.

Photographs were taken of all sample locations, unless otherwise stated.

The analysis of suspect ACMs was undertaken by a UKAS accredited laboratory using the analytical method detailed in *HSG248*, *Appendix 2 -Asbestos: The analysts' guide for sampling, analysis and clearance procedures.*

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	14



Section 8: Survey Caveat

This report is based upon a management report inspection of an unfamiliar site. During the course of the survey all reasonable efforts were made to identify the physical presence of materials containing asbestos within the building.

A Management Survey is a non-intrusive survey, meaning that access within the fabric of the building is limited. The survey does not include access to the following areas (unless agreed beforehand with the Client and provisions are put in place):

- Within wall or ceiling construction;
- Under fixed flooring;
- Within non-openable boxings;
- Within live electrics, boilers or machinery;
- Where access/visibility is limited in an area due to stored items, furniture or services;
- Areas where there is no safe access to inspect such as floor ducts, lift shafts and loft spaces with no crawlboards;
- High level areas that are too high to safely inspect.
- Within pipework insulation throughout building as this would affect the integrity of services.

Any intrusive works carried out within the building must first be subject to a Refurbishment Asbestos Survey.

This report will be restricted to the areas that fall within the scope of works for project and will not take into account any area's that do not fall within the scope. Any asbestos that is identified within this report will need to be added to the buildings existing information and should not form the basis for a management survey. This survey will not include priority assessments nor will it include a register.

This survey considered the construction of the building, associated fixtures & fittings and associated structures and in no way should it be considered as a ground investigation report.

Services should be disconnected prior to commencement of a Management survey; however, where plant and/or electrical installations are live or appear to be live then these will not be accessed.

This survey report is not a bill of quantities.

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	15



Section 9: Survey Notes

This report has been written with reference to the various Guidance Notes etc, issued, and current at the date of this report and describes circumstances at the site on the date the investigation took place.

Where similar items exist in the building, only one or two samples have been taken to ascertain the material content. It was assumed that similar products were of the same material.

Any person undertaking work within the buildings should be told of the presence of asbestos. This briefing also applies to any other person associated with the site, including staff, subcontractors and others.

The drawings in the report are not to scale and are illustrative only to indicate approximate locations. The descriptions used are for location identification purposes.

All the recommendations described in this report are based upon assumptions made after consideration of the type of material, condition of the material, its location, analysis result and type of use the area is thought to be subjected to. However, statutory authorities or others could require amendments based on local knowledge, change in legislation, change in use or indeed other conditions or criteria.

Samples taken from floor tiles (or similar material) may include a bitumen adhesive as part of the sample. It is known that some proprietary brands of bitumen have an asbestos content and this will be included as an integral part of the bulk sample unless otherwise stated.

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	16



Section 10: Material Assessment Algorithm

Variable	Score	Examples
Installation / Product	1	Vinyl, 'Bakelite', Cement
type	2	Asbestos insulating board, paper, rope
	3	Pipe insulation, spray coating, friable debris
Condition / damage	0	Good
	1	Slight / minor damage
	2	Moderate damage – breakage to surface treatment
	3	Major damage – smashed or exposed material
Surface treatment	0	Non-friable e.g. vinyl
	1	Enclosed insulation, encapsulated AIB
	2	Unsealed AIB, encapsulated insulation
	3	Unsealed insulation or spray coating
Asbestos type	1	Chrysotile
	2	Amosite & other amphiboles
	3	Crocidolite

The scores from each of the four sections are added together to produce a risk score:

Risk score	Risk assessment
10 or more	High risk
7 – 9	Medium risk
5 – 6	Low risk
4 & below	Negligible risk

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	17



Section 11: Certificates of Bulk Analysis



Our Ref: J174433 FI: 3

Your Ref: Date: 30/08/2019

ENVIROCHEM

Analytical Laboratories Ltd.

12 The Gardens Broadcut, Fareham Hampshire PO16 8SS



Tel: (01329) 287777 Fax: (01329) 287755 www.envirochem.co.uk office@envirochem.co.uk

Asbestos Fibre Identification Report

Client: Armour Analytical Services Ltd

Admirals Yard, Station Road, Patchway, Bristol, BS34 6LR

Site Address: Portand Platoon, Easton Road, Dorset, DT5 1BW

Sampled By: Armour Analytical Services Ltd

29th August 2019 Date sampled/received: Date analysed: 30th August 2019 Analyst/s:

Analysis Location: 12 The Gardens, Broadcut, Fareham, Hampshire, PO16 8SS

ANALYTICAL PROCEDURE

Fibre identification was carried out in accordance with the documented 'in-house' methods based on the HSE Guidance Note HSG 248. These employed stereo microscopy, polarized microscopy and dispersion staining techniques.

RESULTS

Sample No.	Sample Ref.	Location	Asbestos Detected	Asbestos Type
1	BS572068	Mens WC. Insulation board wall panels	No	
2	BS572069	Kitchen. Insulation board wall panels	No	
3	BS572070	Firing range 1. Floor tiles and adhesive	Yes	Chrysotile

SIGNATURE: AM

Authorised signatory

PRINT NAME: Matt Hurst


Reg. No. 2378228 England. Registered Office: Envirochem, 12 The Gardens, Broadcut, Fareham, Hampshire, PO16 8SS.

Page 1 of 1

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	18



Section 12: Site Plan



	Asbestos
l I	Detected
	(Positive Item)
	No Asbestos
$\langle \ \rangle$	Detected
	(Negative Item)
	Presumed to
	Contain Asbestos
	Strongly
	Presumed to
	Contain Asbestos
	No Access

Visual Inspection

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	19



I the surveyor can confirm that this report is accurate to my findings onsite and this survey has been Content checked by myself.

Checked by: David Kelly

Date: 17/10/2019

I the Admin Manager can confirm that this report is accurate to the paperwork received and this survey has been quality checked by myself.

Checked by: Emma Humphreys

Date: 16.10.2019

Report Compiled By

Armour Analytical Services Ltd, Admirals Yard, Station Road, Bristol, BS34 6LR

Document Name	Author	Issued by	Revision Number	Issue Date	Page No
2019	Emma Humphreys	Armour AS	0	17/10/2019	20